

## **Neutral Grounding Resistor (NGR) Checklist**

						Date:	
Cust	tomer Name:			Project Name:			
Com	pany Name:			Address:			
Bid I	— Required by Da	te:			Street Address		
Req	uested Delivery	Date:		_	City		State/Province
	ping: (Prepaid and in Mississat Drawing approval re R Specificat	uga, ON equired	KW factory	_	Zip/Postal Cod	le	
1.	System Typ	e:					
	Wye	Delta	(c/w zig zag tr	ansformer)			
	NGR Quantity	,					
2.	System Vol	tage (LL):					
	480 V	600 V	2,400 V	4,160 V			
	13,800 V	25,000 V	Other:				
3.	Time Rating	្ស (Duty):					
	Continuous	10 s	60	s			
4.	NGR Let-thr	ough Current	:				
	5 A	10 A	25 A	200 A			
	Other:						
5.	Pulsing Circ	cuit:					
	Yes	No	Pulsing Leve	el:A to	A		
6.	Enclosure:						
	Indoor NEMA Type 1 (IP23)		Outdo	Outdoor NEMA Type 3		OEM Kit	
	Painted Galvanized Steel		(standard) Other:				



## **Advanced Functionality**

1.	Switchgear C	onfiguration:								
	Single Main Main-Tie-Main		e-Main	Other						
2.	Resistor Monitoring Relay:  (Ne comme)  Communication Capable									
	(No comms)									
	RC48N	NGRM500	NGRM550	NGRM700	NGRM750					
		AC/DC Ground F	ault Detection							
3.	Feeder Monitoring and Control:									
	NOTE: For a quote Number of Feede	ber of conductors.								
	Second-ground-fa	ault protection (P	LC)							
4.	Options:									
	Virtual Training		Commissioning							
	Test Resistor	Heater	Horn	Analog Handhel	d Ammeter					
	Light	Control Power T	ransformer	Other:						
5. Separate LV Control Package										
	Standard 480 a enclosures, unl	have separate NGR and control								
Spe	ecial Requests	or Addition	S							
Addi	itional CT Required	Brand, R	atio, other info:							
Seis	mic Rating Require	d: Level:		_						
Cabl	e Entry or Bushing	s: Bushings Top	o Knocko	out Plate						
		Bushings Sid	e							
Altitı	ude greater than 30	000 m AMSL requ	uired:							
Plea	se provide file nam	ne if supplying sir	ngle line diagram.							



Notes	The Power in Electrical Safety
Durafa una d'Ola accard	
Preferred Channel	
Consulting Engineer	

Bender Inc. • 800.356.4266 • info@bender-us.com • www.benderinc.com Bender Can. • 905.602-9990 • info@bender-ca.com • www.bender-ca.com